

Omega-3 Acid Ethyl Esters & Ethyl eicosapentaenoic acid for hypertriglyceridemia

Adjudication Guideline

Rule Category:
Pharmaceutical

Ref: No:
2024-PH-42

Version Control:
Version No. V2.0

Effective Date:
1/06/2025

Revision Date:
30/03/2026

Approved by:
Daman

Responsible:
Pharmaceutical
Standards& Governance

**Related Adjudication
Guidelines:**N/A

Table of Contents

1.	Abstract	3
1.1	For Members.....	3
1.2	For Medical Professionals.....	3
2.	Scope	3
3.	Adjudication Policy.....	4
3.1	Eligibility / Coverage Criteria.....	4
3.2	Requirements for Coverage	5
3.3	Non-Coverage.....	5
3.4	Payment and Coding Rules	6
4.	Denial Codes.....	6
5.	Appendices	6
5.1	References	6
5.2	Revision History	7

1. Abstract

1.1 For Members

Omega-3-Acid Ethyl Esters and Ethyl eicosapentaenoic acid is prescribed to help lower elevated triglyceride levels in adults with hypertriglyceridemia as part of a comprehensive treatment plan that includes diet and exercise. This medication must be taken under medical supervision.

1.2 For Medical Professionals

Omega-3 fatty acid ester and Ethyl eicosapentaenoic acid is a prescription medication indicated for the management of hypertriglyceridemia in adults. To assess its effectiveness, lipid panel evaluations are necessary. Long-term use should only be considered if there is a significant reduction in triglyceride levels.

2. Scope

This Adjudication Rule outlines the coverage and payment requirements by Daman for Omega3-Acid Ethyl Esters. It outlines the medical criteria for initial approval, continued therapy, and outlines the step therapy protocol applicable for coverage

Indications:

Omega-3 fatty acid ester and Ethyl eicosapentaenoic acid is a lipid-regulating agent indicated as an adjunct to diet for the reduction of triglyceride levels in adults with severe hypertriglyceridemia (≥ 500 mg/dL). It is prescribed when dietary modifications alone are insufficient to achieve optimal lipid control.

Mechanism Of Action:

Inhibiting Triglyceride synthesis:


- It interferes with the production of VLDL in the liver, VLDL are the main carrier of triglycerides in the blood.

Decreased Fatty Acids esterification:

- EPA and DHA compete with other fatty acids for incorporation into triglycerides within the liver, leading to reduced triglyceride production.

Triglyceride breakdown:

- It promotes triglyceride breakdown within the liver and other tissues by oxidation.



3. Adjudication Policy

3.1 Eligibility / Coverage Criteria

- Omega-3-Acid Ethyl Esters is intended for patients diagnosed with hypertriglyceridemia who meet established criteria.
- Patients must have a documented history of triglyceride levels exceeding 500 mg/dL

Initial Approval Criteria:

- Triglyceride levels \geq 500 mg/dL.
- Patient must have failed or be intolerant to at least one of the following:
 1. Statins (e.g., Atorvastatin, Rosuvastatin)
 2. Fibrates (e.g., Fenofibrate, Gemfibrozil)
- The maximum daily dose is 4 grams per day. The daily dose may be taken as a single 4gram dose (4 capsules) or as two 2-gram doses (2 capsules given twice daily)

Continued Therapy:

- There should be a documented reduction in triglyceride levels or an enhancement in the lipid profile following the start of Omega-3-Acid Ethyl Esters therapy within six months.

Target Reduction:

- Achieving a decrease of 20-30% in triglyceride levels
- Effectiveness of the treatment should be evaluated with reassessments conducted every year.

Stop therapy criteria:

- Failure to Achieve Target Levels: If there is no significant reduction in triglyceride levels after one year duration of treatment, the medication may be discontinued.
- Adverse Effects: If the patient experiences significant side effects or adverse reactions (such as gastrointestinal issues, allergic reactions, or unusual bleeding), the medication should be stopped.

3.2 Requirements for Coverage

Kindly code the ICD-10 and the CPT codes to the highest level of specificity

Red flags:

- Omega-3-Acid Ethyl is not covered for patients whose triglyceride levels are below 500 mg/dL.
- This medication is not considered a first-line therapy for the treatment of hypertriglyceridemia.
- Not covered for conditions outside of hypertriglyceridemia.
- Prescribing Omega-3 Acid Ethyl Esters is restricted to healthcare professionals with the requisite medical expertise in managing hypertriglyceridemia, excluding those in ophthalmology and other unrelated specialties.

3.3 Non-Coverage

- Not covered for visitor plan

- Age less than 18 years

3.4 Payment and Coding Rules

- Kindly apply DOH payment rules and regulations and relevant coding manuals for ICD, Drugs.

4. Denial Codes

Code	Code Description
MNEC-004	Service is not clinically indicated based on good clinical practice, without additional supporting diagnoses/activities
MNEC-005	Service(s) is(are) done/approved previously, request is too frequent
MNEC-006	Alternative service should have been utilized
CODE-010	Activity/diagnosis inconsistent with clinician specialty
CODE-014	Activity/diagnosis is inconsistent with the patient's age/gender

5. Appendices

5.1 References

- https://www.accessdata.fda.gov/drugsatfda_docs/label/2004/21654lbl.pdf
- [Hypertriglyceridemia Management According to the 2018 AHA/ACC Guideline - American College of Cardiology](#)
- [Hypertriglyceridaemia - Treatment algorithm | BMJ Best Practice](#)
- [Hypertriglyceridemia : LearnYourLipids](#)
- [ESC/EAS Guidelines for the management of dyslipidemias \(escardio.org\)](#)
- [Association Between Omega-3 Fatty Acid Intake and Dyslipidemia: A Continuous Dose-Response Meta-Analysis of Randomized Controlled Trials - PMC \(nih.gov\)](#)

5.2 Revision History

Date	Change(s)
01.06.2025	Creation of Adjudication Guideline-External Instruction Template.
30.03.2026	Revised

Disclaimer

By accessing these Daman Adjudication Guidelines, you acknowledge that you have read and understood the terms of use set out in the disclaimer below:

The information contained in this Adjudication Guideline is intended to outline the procedures of adjudication of medical claims as applied by the National Health Insurance Company – Daman PJSC (hereinafter "Daman"). The Adjudication Guideline is not intended to be comprehensive, should not be used as treatment guidelines and should only be used for the purpose of reference or guidance for adjudication procedures and shall not be construed as conclusive. Daman in no way interferes with the treatment of patient and will not bear any responsibility for treatment decisions interpreted through Daman Adjudication Guideline. Treatment of patient is and remains at all times the sole responsibility of the treating Healthcare Provider. This Adjudication Guideline does not grant any rights or impose obligations on Daman. The Adjudication Guideline and all of the information it contains are provided "as is" without warranties of any kind, whether express or implied which are hereby expressly disclaimed.

Under no circumstances will Daman be liable to any person or business entity for any direct, indirect, special, incidental, consequential, or other damages arising out of any use of, access to, or inability to use or access to, or reliance on this Adjudication Guideline including but without limitation to, any loss of profits, business interruption, or loss of programs or information, even if Daman has been specifically advised of the possibility of such damages. Daman also disclaims all liability for any material contained in other websites linked to Daman website.

This Adjudication Guideline is subject to the laws, decrees, circulars and regulations of Abu Dhabi and UAE. Any information provided herein is general and is not intended to replace or supersede any laws or regulations related to the Adjudication Guideline as enforced in the UAE issued by any governmental entity or regulatory authority, or any other written document governing the relationship between Daman and its contracting parties.

This Adjudication Guideline is developed by Daman and is the property of Daman and may not be copied, reproduced, distributed or displayed by any third party without Daman's express written consent. This Adjudication Guideline incorporates the Current Procedural Terminology (CPT®), which is a registered trademark of the American Medical Association ("AMA") and the CPT codes and descriptions belong to the AMA. Daman reserves the right to modify, alter, amend or obsolete the Adjudication Guideline at any time by providing one month prior notice.